


## **CENTER LATCH ELEVATOR**



## **CENTER LATCH ELEVATOR**

Our Center Latch Elevators are produced under highest quality standards. Casted from a special high grade alloy steel, the Elevators get their unique characteristics to perform under maximum loads in harsh environments. Equipped with premium components they are finished at best quality – MADE IN GERMANY.

We offer this type of Elevator to covers pipe sizes from 3.1/2" to 6.5/8" OD and loads from 250 – 350 short tons. The Industry is using our design in manual or hydraulic version to handle drill pipes with highest safety. Standard designs as well as customised solutions are our focus.



#### **TECHNICAL DATA**

Capacity 250 – 350 short tons Range 3.1/2" – 6.5/8" Shoulder 18° or 90° Dimensions See table on right Weight 235 – 330 kg Certification CE & ATEX Manufactured in accordance with API8C-PSL1\*

\* API8C-PSL2 standard upon request

#### **FEATURES**

- High grade steel for highest strength
- Designed according to API standard
- Interchangeable with other brands
- Customised tools on request
- CE & ATEX marked
- MADE IN GERMANY



#### MANUAL CENTER LATCH ELEVATOR

250 SHORT TONS										
PART NUMBER	PIPE SIZE (O.D.), 18° TAPER*	LOAD RATING short tons	LINK SIZE short tons	WEIGHT kg / lbs	WIDTH (A) mm	LENGTH (B) mm	HEIGHT (C) mm			
110250-Y-105	3.1/2" EU Drill Pipe	250	250 - 500	250/551	685	750	335			
110250-Y-106	4" IU Drill Pipe	250	250 - 500	250/551	685	750	335			
110250-Y-107	4" EU & 4.1/2" IU, EU Drill Pipe	250	250 - 500	245/540	685	750	335			
110250-Y-109	4.1/2" EU & 5" IEU Drill Pipe	250	250 - 500	240/529	685	750	335			
110250-Y-111	5.1/2" IEU Drill Pipe	250	250 - 500	235/518	685	750	335			

### **350 SHORT TONS**

PART NUMBER	PIPE SIZE (O.D.), 18° TAPER*	LOAD RATING short tons	LINK SIZE short tons	WEIGHT kg / lbs	WIDTH (A) mm	LENGTH (B) mm	HEIGHT (C) mm
110350-Y-105	3.1/2" EU Drill Pipe	350	250 - 500	330/728	705	800	360
110350-Y-106	4" IU Drill Pipe	350	250 - 500	330/728	705	800	360
110350-Y-107	4" EU & 4.1/2" IU, EU Drill Pipe	350	250 - 500	325/717	705	800	360
110350-Y-109	4.1/2" EU & 5" IEU Drill Pipe	350	250 - 500	320/705	705	800	360
110350-Y-111	5.1/2" IEU Drill Pipe	350	250 - 500	315/695	705	800	360
110350-Y-114	6.5/8" EU Drill Pipe with 8.1/4" & 8.1/2" Tool Joint	350	250 - 500	300/661	705	800	360

#### **HEADQUARTERS**

Hamburg, Germany

Hamburg Oil Tools GmbH Hammer Deich 70, Gebäude B 20537 Hamburg, Germany

Phone + 49 40 790 908 08

HOT@hamburg-oiltools.com www.hamburg-oiltools.com

# SERVICE AND WAREHOUSE Singapore

MTQ Engineering Pte Ltd 182 Pandan Loop Singapore 128373

Phone + 65 67 77 76 51

HOT@mtq.com.sg www.mtq.com.sg

**SERVICE AND WAREHOUSE** *Sharjah, UAE* 

HI Energy FZC Warehouse LV-38 / D, PO Box 42378 Hamriyah Free Zone, Sharjah, UAE

Phone + 971 509 10 88 08

bdm@hi-energyservices.com www.hi-energyservices.com

SERVICE AND WAREHOUSE Texas, USA

RFR Vertex, LLC 11355 FM 830 Willis, Houston, TX 77318, USA

Phone + 1 936 701 4141

sales@rfrvertex.com www.rfrvertex.com



**CONTACT US WHEREVER YOU ARE** *Germany* • *Asia* • *Middle East* • USA

© 2022 by Hamburg Oil Tools GmbH