


ELEVATOR LINKS (BAILS)



ELEVATOR LINKS (BAILS)

Elevator Links (Bails) need to perform daily under highest loads in harsh environments. Forged in one piece from a special high grade alloy steel, our Elevator Links get their maximum tensile strength.

Ranging from 350 – 500 short tons our Elevator Links connect Elevators to all standard API top drive systems. We are happy to fulfill special customer requirements upon request.

TECHNICAL DATA

Capacity 350 – 500 tons

Range Length from 48" to 720"

Certification CE & ATEX


Manufactured in accordance with API8C-PSL1*

* API8C-PSL2 standard upon request

FEATURES

- Weldless design
- High grade steel for highest strength
- Designed according to API standard
- Suitable for all standard API top drives
- Customised Links on request
- CE & ATEX marked
- MADE IN GERMANY







LINKS (BAILS)

350T ELEVATOR LINK

PART NUMBER	LINK SIZE (more sizes upon request)	LOAD RATING short tons	WEIGHT kg/lbs
350108-Y	2.3/4" x 108"	350	420 / 926
350120-Y	2.3/4" x 120"	350	450 / 992
350132-Y	2.3/4" x 132"	350	480 / 1058
350144-Y	2.3/4" x 144"	350	510/1124
350180-Y	2.3/4" x 180"	350	600 / 1323
350216-Y	2.3/4" x 216"	350	690 / 1521

Dimensions * 350 ton Link

х	A	В	С	D	E	F	G	н
2.3/4"	5.1/4"	8.1/2"	3.1/2"	9.3/8"	11.3/4"	5.1/4"	15.3/4"	11.1/2"

500T ELEVATOR LINK

PART NUMBER	LINK SIZE (more sizes upon request)	LOAD RATING short tons	WEIGHT kg/lbs	
500108-Y	3.1/2" x 108"	500	630 / 1389	
500120-Y	3.1/2" x 120"	500	680 / 1499	
500132-Y	3.1/2" x 132"	500	730 / 1609	
500144-Y	3.1/2" x 144"	500	780 / 1720	
500180-Y	3.1/2" x 180"	500	930 / 2050	
500216-Y	3.1/2" x 216"	500	1080/2381	

Dimensions * 500 ton Link

х	А	В	С	D	E	F	G	н
3.1/2"	6.3/4"	10.1/2"	4.3/4"	9.5/8"	12"	6"	17.3/8"	14"

^{*} all dimensions in acc. to forging standard EN 10243-1

HEADQUARTERS

Hamburg, Germany

Hamburg Oil Tools GmbH

Hammer Deich 70 | Gebäude B 20537 Hamburg, Germany

Phone + 49 40 790 908 08

HOT@hamburg-oiltools.com www.hamburg-oiltools.com

SERVICE AND WAREHOUSE

Singapore

MTQ Engineering Pte Ltd

182 Pandan Loop Singapore 128373

Phone + 65 67 77 76 51

HOT@mtq.com.sg www.mtq.com.sg

SERVICE AND WAREHOUSE

Sharjah, UAE

HI Energy FZC

Warehouse LV-38 / D, PO Box 42378 Hamriyah Free Zone, Sharjah, UAE

Phone + 971 509 10 88 08

bdm@hi-energyservices.com www.hi-energyservices.com

SERVICE AND WAREHOUSE

Texas, USA

RFR Vertex, LLC

851 Bordovsky Rd. La Grange TX 78945, USA

Phone + 1 832 371 92 73

sales@rfrvertex.com www.rfrvertex.com





